Cinemaster 2 Specs

m	

Video Resolution

4k UHD @ 30fps

Video Bitrate

50mb/s Maximum

Slow Motion

HD 1080px @ 60fps

Camera Sensor

1/2.3" CMOS

Megapixels

10MP

Aperture

CMOS f/2.5

Image Resolution

4K 3840 x 2160px

Lens Angle

120°

Focal Length

2.96mm

Gimbal

Stabilization

3-Axis Gimbal EXOSmooth™

Pitch Adjustment Range

0° to -90°

Roll Servo Range

-30° to 30°

Heading Servo Range

-30° to 30°

In-Flight

Flight Time

28 Minutes Per Battery

Maximum Range

1/2 Mile

Wind Resistance

Level 5 (~22MPH Winds)

Hover Accuracy

Within 1ft Variance

Motor Type

2204 1000KV Brushless

Maximum Speed

27MPH

Cinematic Mode Speed

Live Feed Range

2000FT

Live Feed Resolution

1280 x 720px

Height Limit

400FT (Maximum Legal Limit)

Quadcopter

Dimensions (Folded)

11.6 x 3.2 x 3.6 Inch

Dimensions (Unfolded)

15.6 x 15.6 x 3.6 Inch

Weight (With Battery)

1.35Lbs

Weight (Without Battery)

.9LBS

Battery Weight

0.45LBS